

FX-99 PAGE 4-11

FX-90E PAGE 12-15



FX-105 PAGE 16-19



FX-78 PAGE 20-23

ADULT MODULAR / FLIP-UP



FX-111 PAGE 24-29

ADULT DUAL SPORT / ADVENTURE



FX-39DS PAGE 30-33



FX-41DS PAGE 34-37

ADULT & YOUTH OFF-ROAD / ATV



FX-17 PAGE 38-43



FX-21 PAGE 44-47



FX-17YE PAGE 48-53

ADULT OPEN-FACE / JET, WITH FACE SHIELD



FX-60 PAGE 54-57



FX-50 PAGE 58-61



FX-143 PAGE 62-65

ADULT OPEN-FACE / JET WITH INNER SHIELD



FX-142 PAGE 66-69

YOUTH OPEN-FACE / JET WITH INNER SHIELD



FX-142Y PAGE 70-73

ADULT OPEN-FACE / JET, VINTAGE



FX-76 PAGE 74-81

SNOW HELMETS AND ACCESSORIES





FX-41DS SNOW PAGE 82-85 REPLACEMENT PARTS PAGE 85, 101

VINTAGE SHIELDS, PEAKS AND REPLACEMENT PARTS









VINTAGE SHIELDS PAGE 88-90 **AFX VINTAGE PEAKS PAGE 91**

REPLACEMENT PARTS PAGE 94-101



NOTE: SEE PAGE 86 & 94 FOR PINLOCK® 70 ANTI-FOG INSERT

HELMET TECHNOLOGY

SHELL DESIGN

An aerodynamic shell design constructed using an advanced ultra light weight polly-alloy for light weight and strength

FACE SHIELD

A flush-fit, side-coverless face shield that is optically correct, compound-curved, scratch-resistant and Pinlock® 70 Prepared that protects against UV-rays.

COLD WEATHER VERSION

Available with the edition of double lens or double lens electric shields and snap in winter breath guard

- QUICK RELEASE RATCHET
 Quick release shield ratchet system
- VENTILATION

 10 points of ventilation with chin, forehead, top and rear vent. 4 intake vents and 6 exhaust vents















MAIN SPECIFICATIONS

- •This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- •Retention system is a race approved Titanium Double D-RING
- •Provides ample ear cavity space for most speaker systems
- •There are 3 tinted shields available for this model
- ·A clear coat finish to protect paint & graphics
- •A large-size FX-99 weighs 1.37 kg or 3.00 lbs.

Available size: XS-XXL

NOTE: SEE PAGE 86 & 94 FOR THE PINLOCK® SHIELDS


NOTE: SEE PAGE 101 FOR THE COLD WEATHER SHIELDS, BREATH GUARDS AND CHIN CURTAINS

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and antimicrobial moisture wicking nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.





































































FX-90E



HELMET TECHNOLOGY

- SHELL DESIGN
 An aerodynamic shell design constructed using an advanced lightweight composite poly-alloy
- **FACE SHIELD**A flush-fit, side-coverless face shield that is optically correct, compound-curved, scratch-resistant and protects against UV-rays
- QUICK RELEASE RATCHET

 Quick release shield ratchet system
- **VENTILATION**7 points of ventilation with chin, side, forehead, top and rear vent. 5 intake vents and 2 exhaust vents















MAIN SPECIFICATIONS

- •This helmet model meets or exceeds ECE 22.05 motorcycle helmet safety standards
- •Retention system is a race approved Double D-RING
- Provides ample ear cavity space for most speaker systems
- •There are 3 tinted shields available for this model
- •A clear coat finish to protect paint & graphics
- •A large-size FX-90E weighs 1.30 kg or 2.86 lbs.
- Available size: XS-XXL

NOTE: SEE PAGE 15 AND 101 FOR THE COLD WEATHER SHIELDS, BREATH GUARDS AND CHIN CURTAINS

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.















XS S M L XL XXL 0101- 10306 10307 10308 10309 10310 10311





FX-90E

NOTE:

TO CONVERT EXISTING FX-90E HELMETS TO SNOW HELMETS: CHOOSE SHIELD TYPE AND BREATH GUARD.

SNOW SHIELDS







FX-90E AMPD DOUBLE LENS SNOW SHIELD PART NUMBER: 0130-0354





FX-90E ELECTRIC DOUBLE LENS SNOW SHIELD PART NUMBER: 0130-0355

ELECTRIC CORDS



12 VOLT POWER PLUG UNIVERSAL ADAPTER TO RCA CONNECTION PART NUMBER: 2130-0053



REPLACEMENT THREE PEICE ELECTRIC CORD SET FOR ALL RCA CONNECTION AFX ELECTRIC SHIELD HELMETS AND SHIELD KITS. PART NUMBER: 0133-0518



HELMET TECHNOLOGY

- SHELL DESIGN
 - An aerodynamic shell design constructed using advanced fiberglass reinforced plastic (FRP) for light weight and strength
- CONE-HEAD EPS

 Advanced Cone-Head® ultra light weight EPS protection system, allows helmets to be Engineered, lighter and fit closer to the head
- FACE SHIELD

 A flush-fit, side-coverless face shield that is optically correct, compound-curved, scratch-resistant and protects against UV-rays
- **QUICK RELEASE RATCHET**Quick release shield ratchet system
- **VENTILATION**9 points of ventilation with chin, side, forehead, top and rear vent. 3 intake vents and 6 exhaust vents
- INNER SUN SHIELD
 Flip down inner smoke shield with easy to use side actuation lever



















MAIN SPECIFICATIONS

- •This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- •Retention system is a race approved Double D-RING
- •Provides ample ear cavity space for most speaker systems
- •There are 3 tinted shields available for this model
- ·A clear coat finish to protect paint & graphics
- •A large-size FX-105 weighs 1.59 kg or 3.50 lbs.

Available size: XS-XXL

NOTE: SEE PAGE 86 FOR THE PINLOCK® SHIELDS

NOTE: SEE PAGE 101 FOR THE COLD WEATHER SHIELDS, BREATH GUARDS AND CHIN CURTAINS

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and antimicrobial moisture wicking nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.



XS	S	M
47	42	37
16	14	12

L	XL	XXL
42	37	27
14	12	10





















XS S M L XL XXL 0101- 9732 9733 9734 9735 9736 9737



 XS
 S
 M
 L
 XL
 XXL

 0101 9755
 9756
 9757
 9758
 9759
 9760



| XS | S | M | L | XL | XXL | XXL | 0101- | 9761 | 9762 | 9763 | 9764 | 9765 | 9766









XS S M L XL XXL 0101- N/A N/A 9686 9687 9688 9689



GLOSS BLACK
XS S M L XL XXL
0101- 9690 9691 9692 9693 9694 9695



XS S M L XL XXL 0101- 9696 9697 9698 9699 9700 9701







HELMET TECHNOLOGY

- SHELL DESIGN
 An aerodynamic shell design constructed using advanced fiberglass reinforced plastic (FRP) for light weight and strength
- INTERIOR
 A quilted helmet liner and cheek pads made with hypo-allergenic and anti-microbial nylon and perforated leather combination
- CONE-HEAD EPS
 Advanced Cone-Head® ultra light weight EPS protection system, allows helmets to be Engineered, lighter and fit closer to the head
- 4 Universal 5 snap placement for accesory shieds



SEE PAGE 90 FOR 5-Snap Flat Shields















A INTERIOR (LINER AND CHEEK PADS)



MAIN SPECIFICATIONS

- •This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- •3 snap shield/visor compatible. shield/visor not included with helmet
- •Retention system is a race approved Double D-RING
- •Provides ample ear cavity space for most speaker systems
- •A clear coat finish to protect paint & graphics
- •A XS size FX-78 weighs 1.0 kg or 2.20 lbs, A XL size FX-78 weighs 1.1 kg or 2.42 lbs
- Available size: XS-XXL























HELMET TECHNOLOGY

- SHELL DESIGN
 An aerodynamic shell design constructed using an advanced ultra light weight polly-alloy for light weight and strength
- CHIN BAR
 Cam pivot, chin bar linkage system with latches for ease of movement and secruity
- FACE SHIELD
 A flush-fit, side-coverless face shield that is optically correct, compound-curved, scratch-resistant
- QUICK RELEASE RATCHET
 Quick release shield ratchet system
- INNER SUN SHIELD
 Flip down inner smoke shield with easy to use side actuation lever
- **VENTILATION**4 points of aerodynamically designed flush fit ventilation with chin, top (left and right) and unique rear exhaust vents. 3 intake vents and 1 exhaust vents

















MAIN SPECIFICATIONS

- •This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- •Retention system is Microlock (quick release)
- Provides ample ear cavity space for most speaker systems
- •There are 3 tinted shields available for this model
- •A clear coat finish to protect paint & graphics
- •A large-size FX-111 weighs 1.60 kg or 3.50 lbs.
- Available size: XS-XXL

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and antimicrobial moisture wicking nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.



XS	S	M
35	30	25
16	14	12

























Flip down inner smoke shield with easy to use side actuation lever













FX-39DS



FACE SHIELD

A flush-fit, built in side-cover style face shield that is optically correct, compound-curved, scratch-resistant and protects against UV-rays. Shield can be removed to allow open face riding or for use with most goggles. Optional outer shield, A 3 position 9cm (3.5")long shield mounted on outside of the clear shield and moving independently from the clear shield. Will also work with the visor removed and the street side covers installed

VENTILATION

O points of ventilation with chin, side, forehead, top and rear ventilation with chin, side, forehead, top and rear ventilation.

9 points of ventilation with chin, side, forehead, top and rear vent. 3 intake vents and 6 exhaust vents

VISOR

A removable and adjustable (30mm) screw-on visor. Shield can also be used without the visor. Side cover kit included B









BEFORE



AFTER





MAIN SPECIFICATIONS

- •This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- Retention system is Microlock (quick release)
- •Provides ample ear cavity space for most speaker systems
- •There are 4 tinted shields available for this model
- ·A clear coat finish to protect paint & graphics
- •A large-size FX-39DS weighs 1.59 kg or 3.50 lbs.
- Available size: XS-XXL

NOTE: SEE PAGE 101 FOR THE COLD WEATHER SNOW BREATH GUARD & CHIN CURTAIN

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.



XS	S	M
32	28	20
14	12	8

L	XL	XXL
32	24	20
12	8	6







FX-39DS







FX-39DS



FX-41DS



- SHELL DESIGN
 An aerodynamic shell design constructed using an advanced lightweight composite poly-alloy
- FACE SHIELD

 A flush-fit, quick release screw on face shield that is optically correct, compound-curved, scratch-resistant and protects against UV-rays. Shield can be removed to allow open face riding or for use with most goggles
- VISOR
 A removable and adjustable (40mm) screw-on visor. Shield can also be used without the visor. Side cover kit included
- VENTILATION
 17 points of ventilation with chin, side, forehead, top and rear vent. 7 intake vents and 10 exhaust vents
- INNER SUN SHIELD
 Smoke tinted inner flip down sun shield system with left side slide lever

















MAIN SPECIFICATIONS

- •This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- •Retention system is Microlock (quick release)
- Provides ample ear cavity space for most speaker systems
- •There are 4 tinted shields available for this model
- ·A clear coat finish to protect paint & graphics
- •A large-size FX-41DS weighs 1.68 kg or 3.69 lbs.

Available size: XS-XXL

NOTE: SEE PAGE 87 FOR THE PINLOCK® SHIELDS

NOTE: SEE PAGE 85 & 101 FOR THE COLD WEATHER SNOW BREATH GUARD & CHIN CURTAIN

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

HELMET SHELL & EPS SIZE	XS	S	M	L	XL XXL
CHEEK PAD THICKNESS (MM)	38	34	28	30	24 22
COMFORT LINER THICKNESS (MM)	8	4	8	8	10 6







FX-41DS







FX-41DS









| XS S M L XL XXL | 0110- | 3742 3743 3744 3745 3746 3747



ADULT OFF-ROAD / ATV
AVAILABLE IN YOUTH SIZING, SEE PAGES 48-51



HELMET TECHNOLOGY

- **SHELL DESIGN** An aerodynamic shell design constructed using an advanced lightweight composite poly-alloy. This helmet is specifically designed to fit adolescents and small adults
- **VENTILATION** 11 points of ventilation with chin, side, forehead, top and rear vent. 3 intake vents and 8 exhaust vents
- **GOGGLE GUIDE ON EYEPORT TRIM** Goggle strap grabbers
- **VISOR** A removable and adjustable (50mm) screw-on visor















MAIN SPECIFICATIONS

- •This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- •Retention system is a race approved Double D-RING
- •A clear coat finish to protect paint & graphics
- •A large-size FX-17 weighs 1.55 kg or 3.42 lbs.
- Available size: XS-XXL

NOTE: SEE PAGE 101 FOR THE COLD WEATHER SNOW BREATH GUARD & CHIN CURTAIN

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.



XS	S	M
28	24	20
10	8	6















MATTE BLACK / HOT PINK
XS S M L XL
0110- 6509 6510 6511 6512 6513



MATTE WHITE / WHITE XS S M L XL XXL 0110- 6516 6494 6495 6496 6497 6498









MATTE BLACK / WHITE

XS S M L XL XXL
0110- 6515 6489 6490 6491 6492 6493







MATTE BLACK / RED

XS S M L XL XXL

0110- 6514 6484 6485 6486 6487 6488







XS S M L XL XXL 0110- 6517 6499 6500 6501 6502 6503

0110- 5303 5304 5305 5306 5307 5308



M L XL XXL

0110- 5285 5286 5287 5288 5289 5290









0110- 5231 5232 5233 5234 5235 5236





MATTE BLACK / GREEN / BLUE S M L XL XXL 0110- 5213 5214 5215 5216 5217 5218

M L XL XXL 0110- 5267 5268 5269 5270 5271 5272

SOLID COLOR





HELMET TECHNOLOGY

- SHELL DESIGN
 An aerodynamic shell design constructed using an advanced lightweight composite poly-alloy
- VENTILATION
 11 points of ventilation with chin, side, forehead, top and rear vent. 3 intake vents and 8 exhaust vents
- CONE-HEAD EPS
 Advanced in-molded® cone-head® ultra light weight EPS
 protection system. In-mold construction fuses the helmet's
 outer shell with the impact-absorbing EPS liner. The two
 materials are fused together, and one is reinforced by the
 other. This 'exoskeleton' allows helmets to be engineered
 that are lighter, more durable and better ventilated
- VISOR
 A removable and adjustable (40mm) screw-on visor



















MAIN SPECIFICATIONS

- •This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- •Retention system is a race approved Double D-RING
- •Provides ample ear cavity space for most speaker systems
- ·A clear coat finish to protect paint & graphics
- •A large-size FX-21 weighs 1.34 kg or 2.96 lbs.
- Available size: XS-XXL

NOTE: SEE PAGE 101 FOR THE COLD WEATHER SNOW BREATH GUARD & CHIN CURTAIN

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness, and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.



































- **VENTILATION**
 - 11 points of ventilation with chin, side, forehead, top and rear vent. 3 intake vents and 8 exhaust vents
- **Goggle Strap grabbers.**
- VISOR
 A removable and adjustable (50mm) screw-on visor
- 5 YLS (YOUTH LINER SYSTEM)

This helmet can be converted to any of three youth helmet sizes through the simple swapping of comfort liners and cheek pads















SPECIFICATIONS & FEATURES

- •This helmet model meets or exceeds ECE 22.05 motorcycle helmet safety standards
- •Retention system is a race approved Double D-RING
- A clear coat finish to protect paint & graphics
- •A youth large-size FX-17YE weighs 1.24 kg or 2.73 lbs
- ·Available size: YS, YM AND YL

NOTE: SEE PAGE 101 FOR THE COLD WEATHER SNOW BREATH GUARD & CHIN CURTAIN

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

FX-17YE YOUTH FITTING GUIDE







































HELMET TECHNOLOGY

- SHELL DESIGN
 - A sleek European influenced shell design constructed using an advanced lightweight composite poly-alloy. Raised front shell section to accommodates inner drop down shield without reducing fit and comfort
- FACE SHIELD
 A flush-fit, side-coverless OPTICAL CLASS 1 face shield with integrated air dam is also HY-DROPHOBIC coated to disperse and repel water
- 3 VENTILATION
 - 10 points of aerodynamically designed flush fit ventilation. Large dual air intake designed for easy one handed use with gloves. Eight exhaust vents positioned to maximize negative presure suction
- INNER SUN SHIELD
 Smoke tinted dual cable activated drop down inner flip sun shield system with left side slide lever
- **COM SYSTEM PREPARED**Oversized ear cavity for optimized communication mounting



















MAIN SPECIFICATIONS

- •This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- •Full 3D fit comfort liner and cheek pad system
- •Dual lip wiper style full perimeter rain gasket for the ultimate in leak proof shield sealing
- •Retention system is D-Ring

- •Features a metal ring for secure lock ability
- •A clear coat finish to protect paint & graphics
- •A large-size FX-60 weighs 1.36 kg or 2.98 lbs.
- Available size: XS-XXXL

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.



XS	S	M
40	35	30
15	12	9

L	XL	XXL	XXXL
40	35	30	25
15	12	9	6















REPLACEMENT PARTS
PAGE # 98


















0104- 2561 2562 2563 2564 2565 2566





 S
 M
 L
 XL
 XXL
 XXXL

 0104 2574
 2575
 2576
 2577
 2578
 2579
 XXL XXXL

ADULT OPEN-FACE / JET, WITH FACE SHIELD



HELMET TECHNOLOGY

- SHELL DESIGN
 A sleek European influenced shell design constructed using an advanced lightweight composite poly-alloy
- **FACE SHIELD**A flush-fit, built in side-cover style face shield that is optically correct, compound-curved, scratch-resistant and protects against UV-rays
- **VENTILATION**4 points of aerodynamically designed flush fit ventilation with chin, top, rear, and unique side extraction vents. 1 intake vents and 3 exhaust vents
- INNER SUN SHIELD
 Smoke tinted inner flip down sun shield system with center slide lever
- 4 IN 1 A

 Helmet can be configured one of four different ways.

 Ships with all parts included

















Includes visor colored side-covers for shield use without the visor



1. Helmet with visor and shield (standard configuration)



2. Helmet with visor



INCLUDES VISOR COLORED SIDE-COVERS AND SCREW PLUG FOR SHIELD USE WITHOUT THE VISOR



3. Helmet with shield



4. Helmet only

MAIN SPECIFICATIONS

- •This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- •Retention system is Microlock (quick release)
- ·A clear coat finish to protect paint & graphics
- •A large-size FX-50 weighs 1.30 kg or 2.80 lbs.
- Available size: XS-XXL

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.



XS	S	M
48	44	40
12	10	12

L	XL	XXL
36	32	28
8	8	4























HELMET TECHNOLOGY

- SHELL DESIGN
 A sleek European influenced shell design constructed using an advanced lightweight composite poly-alloy.
- FACE SHIELD
 OPTICAL CLASS 1 face shield with HYDROPHOBIC coated to disperse and repel water
- INNER SUN SHIELD

 OPTICAL CLASS 1 drop down inner smoke sun shield with HYDROPHOBIC coated

















MAIN SPECIFICATIONS

- •This helmet model meets or exceeds ECE 22.05 motorcycle helmet safety standards
- •Retention system is D-Ring
- ·A clear coat finish to protect paint & graphics
- •A large-size FX-143 weighs 1.14 kg or 2.50 lbs.
- Available size: XS-XXL

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

















| MATTE BLACK | S | M | L | XL | XXL | XXL | 0104- | 2654 | 2655 | 2656 | 2657 | 2658 |







GLOSS BLACK
S M L XL XXL
0104- 2672 2673 2674 2675 2676









 S
 M
 L
 XL
 XXL

 0104 2666
 2667
 2668
 2669
 2670

ADULT OPEN-FACE / JET, WITH INNER SHIELD

FX-142

AVAILABLE IN YOUTH SIZING, SEE PAGES 70-73





HELMET TECHNOLOGY

- SHELL DESIGN
 A sleek European influenced shell design constructed using an advanced lightweight composite poly-alloy.
- 2 INNER SUN SHIELD A
 OPTICAL CLASS 1 drop down inner sun shield includes BOTH HI-DEF day/night yellow (FITTED) and smoke daytime only shield in the box. These shields are also HYDROPHOBIC coated



OPTICAL CLASS 1 DROP DOWN INNER SUN SHIELD HI-DEF DAY/YELLOW (FITTED)



OPTICAL CLASS 1 DROP DOWN INNER SUN SHIELD SMOKE DAYTIME ONLY SHIELD IN THE BOX

















MAIN SPECIFICATIONS

- •This helmet model meets or exceeds ECE 22.05 motorcycle helmet safety standards
- •Retention system is D-Ring
- ·A clear coat finish to protect paint & graphics
- •A large-size FX-142 weighs 1.10 kg or 2.20 lbs.
- Available size: XS-XXL

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

















| MATTE BLACK | S | M | L | XL | XXL | XXL | 0104- | 2636 | 2637 | 2638 | 2639 | 2640 |













| S M L XL XXL | XXL | 0104- | 2648 | 2649 | 2650 | 2651 | 2652 |

FX-142Y





HELMET TECHNOLOGY

- SHELL DESIGN
 A sleek European influenced shell design constructed using an advanced lightweight composite poly-alloy.
- 2 INNER SUN SHIELD A
 OPTICAL CLASS 1 drop down inner sun shield includes BOTH HI-DEF day/night yellow (FITTED) and smoke daytime only shield in the box. These shields are also HYDROPHOBIC coated







OPTICAL CLASS 1 DROP DOWN INNER SUN SHIELD HI-DEF DAY/YELLOW (FITTED)



OPTICAL CLASS 1
DROP DOWN INNER SUN SHIELD
SMOKE DAYTIME
ONLY SHIELD IN THE BOX

















MAIN SPECIFICATIONS

- •This helmet model meets or exceeds ECE 22.05 motorcycle helmet safety standards
- Retention system is D-Ring
- ·A clear coat finish to protect paint & graphics
- •A youth large-size FX-142Y weighs 1.10 kg or 2.20 lbs.
- Available size: YS-YL

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.











FX-142Y







YOUTH ROCKET BOY
YS YM YL
0105- 0044 0045 0046





FX-142Y







YOUTH ROCKET GIRL
| YS | YM | YL
| 0105- | 0047 | 0048 | 0049







HELMET TECHNOLOGY

- SHELL DESIGN
 An aerodynamic shell design constructed using advanced fiberglass reinforced plastic (FRP) for light weight and strength
- A quilted helmet liner and cheek pads made with hypo-allergenic and anti-microbial nylon and perforated leather combination
- CONE-HEAD EPS
 Advanced Cone-Head® ultra light weight EPS protection system, allows helmets to be Engineered, lighter and fit closer to the head















A INTERIOR (LINER AND CHEEK PADS)





MAIN SPECIFICATIONS

- •This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- •3 snap shield/visor compatible. shield/visor not included with helmet
- •Retention system is a race approved Double D-RING
- •Provides ample ear cavity space for most speaker systems
- •A clear coat finish to protect paint & graphics
- •A XS size FX-76 weighs 0.8 kg or 1.76 lbs, A XL size FX-76 weighs 1.0 kg or 2.2 lbs
- Available size: XS-XXL

Vintage 3-Snap Shields see page 88-90

Vintage 3-Snap Visors (Peaks) see page 91



















GLOSS ORANGE / BLUE / BEIGE
XS S M L XL XXL
0104- 2324 2325 2326 2327 2328 2329



































GLOSS DARK GREEN / GOLD XS S M L XL XXL 0104- 2132 2133 2134 2135 2136 2137

0











XS

M

0104- 2060 2061 2062 2063 2064 2065



















The brand name, used herein remain the property of their respective owners. This listing of any brand names is not intended to imply any endorsement or direct affiliation by such brand names and AFX North America Inc.











GLOSS BLACK WITH CHROME TRIM

XS S M L XL XXL

0104- 1129 1130 1131 1132 1133 1134



FLAT BLACK W/ NO CHROME TRIM

XS S M L XL XXL

0104- 1137 1138 1139 1140 1141 1142



FROST GREY W/ NO CHROME TRIM

XS S M L XL XXL

0104- 1203 1204 1205 1206 1207 1208



GLOSS MAGNETIC W/ NO CHROME TRIM

XS S M L XL XXL

0104- 2096 2097 2098 2099 2100 2101

FX-41DS SNOW DOUBLE LENS



lightweight composite poly-alloy

FACE SHIELD

A flush-fit, quick release screw on face shield AFX DESIGNED AMPD™ FRAMELESS DOUBLE LENS SNOW SHIELD A that is optically correct, compound-curved, scratch-resistant and protects against UV-rays. Shield can be removed to allow open face riding or for use with most goggles

VISOR A removable and adjustable (40mm) screw-on visor. Shield can also be used without the visor. Side cover kit included B

VENTILATION 17 points of ventilation with chin, side, forehead, top and rear vent. 7 intake vents and 10 exhaust vents

INNER SUN SHIELD Smoke tinted inner flip down sun shield system with left side slide lever



















MAIN SPECIFICATIONS


- •This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- •Retention system is Microlock (quick release)
- •Provides ample ear cavity space for most speaker systems
- ·A clear coat finish to protect paint & graphics
- •A large-size FX-41DS weighs 1.68 kg or 3.69 lbs.
- Available size: SM-XXL

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.











FX-41DS SNOW DOUBLE LENS







FX-41DS SNOW DOUBLE LENS



FX-41DS DOUBLE LENS SNOW SHIELD PART NUMBER: 0130-0603





FX-41DS EXTREME BREATH GUARD SIZE: XS-M PART NUMBER: 0134-1362



FX-41DS EXTREME BREATH GUARD SIZE:L-XXL PART NUMBER: 0134-1214



FX-41DS WINTER CHIN CURTAIN PART NUMBER: 0134-2376

FX-99 & 105 PINLOCK®

FX-99 & FX-105 OUTER LENS SHIELD WITH PINLOCK® PINS

7PINLOCK 70



CLEAR	0130-0787
DARK SMOKE	0130-0788
SILVER MIRROR	0130-0789
BLUE MIRROR	0130-0790

FX-99 & 105 PINLOCK® 70 MAX CUSTOM FIT ANTI-FOG INSERT

7PINLOGE 70



CLEAR	0130-0791
LIGHT SMOKE	0130-0792
DARK SMOKE	0130-0793
YELLOW	0130-0794

FX-41DS PINLOCK®

FX-41DS OUTER LENS SHIELD WITH PINLOCK® PINS

7PINLOCK 70



CLEAR	0130-0828
DARK SMOKE	0130-0829
SILVER MIRROR	0130-0830
GOLD MIRROR	0130-0831

FX-41DS PINLOCK® 70 MAX CUSTOM FIT ANTI-FOG INSERT





CLEAR	0130-0832
DARK SMOKE	0130-0833
YELLOW	0130-0834

VINTAGE SHIELD

AFX VINTAGE 3-SNAP FLIP SHIELD

SPECIFICATIONS & FEATURES

• UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED









HELMET IS NOT INCLUDED



CLEAR PART NUMBER: 0131-0075



DARK SMOKE PART NUMBER: 0131-0076



YELLOW SOLID PART NUMBER: 0131-0077



BLUE SOLID PART NUMBER: 0131-0078



SMOKE GRADIENT PART NUMBER: 0131-0079



SILVER MIRROR
PART NUMBER: 0131-0080



GOLD MIRROR PART NUMBER: 0131-0081



SHORT SHIELD CLEAR PART NUMBER: 0131-0089



SHORT SHIELD DARK SMOKE PART NUMBER: 0131-0090



SHORT SHIELD SILVER MIRROR PART NUMBER: 0131-0091

VINTAGE SHIELD

AFX VINTAGE 3-SNAP FLIP SHIELD

SPECIFICATIONS & FEATURES

• UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED



AFX VINTAGE 3-SNAP FLIP BUBBLE SHIELD


UNIVERSAL 3-SNAP MOUNTING
 HARD COATED FOR DURABILITY
 OPTICALLY CORRECT UV TREATED



VINTAGE 5-SNAP FLAT SHIELD

SPECIFICATIONS & FEATURES

• UNIVERSAL 5-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED





CLEAR PART NUMBER: 0131-0121



DARK SMOKE PART NUMBER: 0131-0073



YELLOW SOLID PART NUMBER: 0131-0074

VINTAGE SNAP ON VISORS (PEAKS) 3-SNAP SHORT WITH LIP





DARK SMOKE PART NUMBER: 0132-1016



GLOSS WHITE PART NUMBER: 0132-1017



AMBER PART NUMBER: 0132-1018





GLOSS BLACK PART NUMBER: 0132-1062



DARK SMOKE PART NUMBER: 0132-1063



GLOSS WHITE PART NUMBER: 0132-1064

3-SNAP VINTAGE MX WITH 3



GLOSS BLACK PART NUMBER: 0132-1019



DARK SMOKE PART NUMBER: 0132-1020



GLOSS WHITE PART NUMBER: 0132-1021



AMBER PART NUMBER: 0132-1022

3-SNAP VINTAGE MX WITH 4 VENTS



GLOSS BLACK PART NUMBER: 0132-1023



DARK SMOKE PART NUMBER: 0132-1024



GLOSS WHITE PART NUMBER: 0132-1025

3-SNAP VINTAGE MX WITH 6 VENTS



GLOSS BLACK PART NUMBER: 0132-1026



DARK SMOKE PART NUMBER: 0132-1027



GLOSS WHITE PART NUMBER: 0132-1028



AMBER PART NUMBER: 0132-1029

3-SNAP VINTAGE MX NON VENTE



GLOSS BLACK PART NUMBER: 0132-1030



DARK SMOKE PART NUMBER: 0132-1031



GLOSS WHITE PART NUMBER: 0132-1032



AMBER PART NUMBER: 0132-1033

HELMET & SHIELD BAG

AFX HELMET BAG

SPECIFICATIONS & FEATURES

- Rip Stop Cordura Nylon
- Plush Anti Scratch Micro Fiber Lining
- · Heavy Duty Carrying Handle
- •Two Way Self Healing Coil Zipper
- Inside Storage Pocket
- Anti Slip Waterproof Bottom
- 4 Moisture Vents
- Size 35cm x 30cm x 25cm (14" x 12" x 10")











AFX HELMET & FACE-SHIELD DRAWSTRING STORAGE BAG





AFX HELMET DRAWSTRING BAG 44CM X 54CM (17" X 21") PART NUMBER: 3514-0030






AFX SHIELD DRAWSTRING BAG FITS ALL FULLFACE HELMET SHIELDS 48CM X 18CM (19" X 7") PART NUMBER: 3514-0031

AFX HELMET HOLDER

SPECIFICATIONS & FEATURES

- FITS ALL STANDARD SLAT-WALL TYPES
- PACKAGED 6PCS, PER BOX, PER ITEM NUMBER
- MADE FROM IMPACT RESISTANT PLASTIC ALLOY WITH SILVER AFX LOGO











AFX WALL STICKER



AFX WALL STICKER PART NUMBER: 9904-1237 80cm (31.5") x 23cm (9")

AFX HEAD MEASUREMENT TOOL



AFX HEAD MEASUREMENT TOOL PART NUMBER: 9904-1238

FX-99 REPLACEMENT PARTS

1 X-99 NL	I LAUL		AIIIO				
OUTER Shield	CLEAR	SMOKE	SILVER MIRROR	SHIELD Ratchet Kit		SHIELD Ratchet Kit	
	0130-0488	0130-0489	0130-0490	7111	0133-0698	7	0133-1168
OUTER SHIELD W/ PINLOCK PINS	CLEAR	SMOKE	SILVER MIRROR	BLUE MIRROR	CHIN CURTAIN	XS-M	L-XXL
	0130-0787	0130-0788	0130-0789	0130-0790		0134-2371	0134-2372
PINLOCK 70 ANTI-FOG INSERT	CLEAR	LIGHT SMOKE	DARK SMOKE	YELLOW	COLD WEATH BREATH GUR		L-XXL
	0130-0791	0130-0792	0130-0793	0130-0794	6	0134-2373	0134-2374
FX-99 CHEEK PAD SET	xs	S	М	L	XL	XXL	1
	0134-2359	0134-2360	0134-2361	0134-2362	0134-2363	0134-2364	
FX-99 COMFORT LINER	XS	S	M	L	XL	XXL	
	0134-2365	0134-2366	0134-2367	0134-2368	0134-2369	0134-2370	

FX-90E REPLACEMENT PARTS

OUTER Shield	CLEAR	SMOKE	SILVER MIRRROR	
	0130-0288	0130-0289	0130-0290	

SHIELD Ratchet Kit	
	0133-0386

FX-105 REPLACEMENT PARTS

OUTER Shield	CLEAR	SMOKE	SILVER MIRROR	BLUE MIRROR
U	0130-0488	0130-0489	0130-0490	0130-0491

SHIELD Ratchet Kit	
1111	0133-0698

FX-78 REPLACEMENT PARTS

CHEEK PAD SET	XS	S	М	L	XL	XXL
1	0134-2486	0134-2487	0134-2488	0134-2489	0134-2490	0134-2491

FX-111 REPLACEMENT PARTS

/ X- / / / / /								
OUTER Shield	CLEAR	SMOKE	SILVER MIRROR	BLUE MIRROR	INNER DOWN S		SMOK	E
6	0130-0835	0130-0836	0130-0837	0130-0838		<i>-</i>	0130-08	39
CHEEK PAD SET	XS	S	М	L	XL		XXL	
LJ	0134-2511	0134-2512	0134-2513	0134-2514	0134-251	15	0134-2516	
SHIELD Ratchet Kit		CHIN BAR PIVOT KIT		CHIN CURTAIN			REATH LECTOR	
	0133-1111	0 0 4 4	0133-1112		0134-2518	4	<u> </u>	0134-25

FX-95 REPLACEMENT PARTS

OUTER Shield	CLEAR	SMOKE	DARK SMOKE	SILVER MIRROR	BLUE MIRROR	GOLD MIRRROR
	0130-0233	0130-0234	0130-0235	0130-0236	0130-0237	0130-0238
CHEEK PAD SET	xs	s	М	L	XL	XXL

SHIELD Ratchet Kit	
	0133-0335

FX-36 REPLACEMENT PARTS

SHIELD Ratchet Kit	
4 000	0133-1004

FX-39DS REPLACEMENT PARTS

	OUTER Shield	OPTIONAL OUTER SUN SHIELD
		7
CLEAR STANDARD	0130-0400	
LIGHT SMOKE	0130-0401	0130-0442
DARK SMOKE	0130-0402	0130-0443
SILVER MIRROR	0130-0403	0130-0444
GOLD MIRROR		0130-0445



FX-41DS REPLACEMENT PARTS

REPLACEMENT PEAK	SOLID COLOR	EIGER	AT
FLAT BLACK			
GLOSS BLACK	0132-0777		
PEARL WHITE	0132-0778		
BLK/WHITE/RED			0132-1059
FROST GREY/ NEON ORANGE		0132-1193	

PEAK SCREW SET	SHIELD RATCHET KIT	CHIN CURTAIN
•11	1.00	
0133-0751	0133-0752	0134-1838

	OUTER Shield	INNER FLIP Down Shield
CLEAR STANDARD	0130-0501	0130-0665
LIGHT SMOKE	0130-0502	0130-0507
DARK SMOKE	0130-0503	0130-0506
SILVER MIRROR	0130-0504	
GOLD MIRROR	0130-0505	

	CHEEK PAD Set	
	414	
xs	0134-1516	
s	0134-1517	
М	0134-1518	
L	0134-1519	
XL	0134-1520	
XXL	0134-1521	

FX-21 REPLACEMENT PARTS

REPLACEMENT PEAK	SOLID COLOR
FLAT BLACK	0132-0764
WHITE	0132-0875
RED/WHITE/BLUE	
BLACK/YELLOW/ Blue	

	CHEEK PAD Set
	1
XS	0134-1510
s	0134-1511
М	0134-1512
L	0134-1513
XL	0134-1514
XXL	0134-1515



FX-17/FX-17YE REPLACEMENT PARTS

CHEEK PAD SET		
	STANDARD Black	MAINLINE Blue
	11	>
xs	0134-0805	0134-1988
s	0134-0806	0134-1989
М	0134-0807	0134-1990
L	0134-0808	0134-1991
XL	0134-0809	0134-1992
XXL	0134-0810	0134-1993
YOUTH S	0134-0811	
УОИТН М	0134-0812	
YOUTH L	0134-0813	

COMFORT LINER		
	STANDARD MAINLINE Black blue	
		T
XS	0134-1909	0134-2018
S	0134-1910	0134-2019
М	0134-1911	0134-2020
L	0134-1912	0134-2021
XL	0134-1913	0134-2022
XXL	0134-1914	0134-2023
YOUTH S	0134-0814	
ҮО ШН М	0134-0815	
YOUTH L	0134-0816	



FX-17/FX-17YE REPLACEMENT PARTS - REPLACEMENT PEAK

FORCE









HOLESHOT















FX-60 REPLACEMENT PARTS

OUTER Shield	CLEAR	DARK SMOKE
	0130-0895	0130-0896





FX-142 REPLACEMENT PARTS





FX-143 REPLACEMENT PARTS

OUTER Shield	CLEAR	DARK SMOKE	
	0130-0899	0130-0900	







FX-50 REPLACEMENT PARTS

IX OUTIE! EAGEMENT				
	PEAK SOLID COLOR	PEAK Signal		
		(P)		
FLAT BLACK	0132-0553			
GLOSS BLACK	0132-0552			
PEARL WHITE	0132-0554			
SILVER		0132-1052		
WINE RED	0132-0556			
RED		0132-1054		
BRIGHT GREEN		0132-1056		
WHITE/GREEN/RED		0132-1057		
ORANGE		0132-1061		

	SIDE COVER KIT
FLAT BLACK	0133-0580
GLOSS BLACK	0133-0579
PEARL WHITE	0133-0581
WINE RED	0133-0583

	CHEEK PAD Set	
	4 3	
XS	0134-1215	
s	0134-1216	
М	0134-1217	
L	0134-1218	
XL	0134-1219	
XXL	0134-1220	

	OUTER Shield	INNER FLIP Down Shield	
	7		
CLEAR STANDARD	0130-0395		
LIGHT SMOKE	0130-0396		
DARK SMOKE	0130-0397	0130-0399	
SILVER MIRROR	0130-0398		





FX-33 REPLACEMENT PARTS

OUTER Shield	CLEAR	
	0130-0641	





CHEEK PAD SET	XS	S	М	L	XL	XXL
1	0134-1964	0134-1965	0134-1966	0134-1967	0134-1968	0134-1969

FX-33Y REPLACEMENT PARTS

OUTER Shield	CLEAR	
	0130-0600	



SNOW SHIELDS BREATH GUARD & CHIN CURTAIN

NOTE: TO CONVERT EXISTING FX-99, FX-90E, FX-105, FX-41DS AND FX-39DS HELMETS TO SNOW HELMETS: CHOOSE SHIELD TYPE AND BREATH GUARD.

FOR FX-90E



FX-90E AMPD DOUBLE LENS SNOW SHIELD PART NUMBER: 0130-0354



FX-90E ELECTRIC DOUBLE LENS SNOW SHIELD PART NUMBER: 0130-0355



FOR FX-99, FX-105



FX-99, FX-105 AMPD DOUBLE LENS SNOW SHIELD

PART NUMBER: 0130-0494 LENS

FX-99, FX-105 AMPD ELECTRIC DOUBLE LENS SNOW SHIELD PART NUMBER: 0130-0496





FOR FX-39DS



FX-39DS AMPD DOUBLE LENS SNOW SHIELD PART NUMBER: 0130-0459



FX-39DS AMPD ELECTRIC DOUBLE LENS SNOW SHIELD PART NUMBER: 0130-0460



FOR FX-41DS



FX-41DS DOUBLE LENS SNOW SHIELD PART NUMBER: 0130-0603



FOR FX-90E



HI-FLOW BREATH GUARD PART NUMBER: 0134-1061

FOR FX-105



EXTREME BREATH GUARD (XS-M) PART NUMBER: 0134-1785

EXTREME BREATH GUARD (L-XXL) PART NUMBER: 0134-1799

FOR FX-17, FX-17YE



HI-FLOW BREATH GUARD PART NUMBER: 0134-1060

FOR FX-21, FX-39DS & FX-41DS (XS-M)

FOR FX-17, FX-17YE & FX-41DS (L-XXL)



EXTREME BREATH GUARD PART NUMBER: 0134-1362

FOR FX-17, FX-17YE FX-19, FX-21 & FX-39DS



VENTED CHIN CURTAIN PART NUMBER: 0134-1363



EXTREME BREATH GUARD PART NUMBER: 0134-1214



REPLACEMENT THREE PIECE **ELECTRIC CORD SET FOR ALL RCA CONNECTION AFX ELECTRIC SHIELD** HELMETS AND SHIELD KITS. PART NUMBER: 0133-0518



12 VOLT POWER PLUG UNIVERSAL **ADAPTER TO RCA CONNECTION** PART NUMBER: 2130-0053

AFX HELMET FEATURE ICONS



Helmet Retention System Is Race Approved Double D- Ring



This Youth Off-Road / ATV Helmet Features A Smaller Size Outer Shell Designed For Superior Fit And Comfort For Smaller Head Sizes



Helmet Retention System Is Race Approved Ultra Lightweight Strength Titanium Double D-Ring



This Open Face / JET Helmet Features Two Outer Shell Sizes For Superior Fit And Comfort



Helmet Retention System Is Microlock Quick Release



This Youth Helmet Features A Smaller Size Outer Shell Designed For Superior Fit And Comfort For Smaller Head Sizes



Helmet Shell Is Made From Advanced Lightweight Composite Poly Alloy



Helmet Features Patented Advanced In-Molded & Cone-Head Ultra Lightweight Shell & EPS Exoskeleton Protection System



Helmet Shell Is Made From Lightweight Fiberglass Reinforced Polymer



Helmet Features Patented Advanced Ultra Lightweight Cone-Head EPS Protection System



This Full Face Street Helmet Features Two Outer Shell Sizes For Superior Fit And Comfort



This Helmet Features Four Inner EPS Sizes For Superior Fit And Comfort



This Dual Sport / Adventure Helmet Features Two Outer Shell Sizes For Superior Fit And Comfort



This Helmet Features Three Inner EPS Sizes For Superior Fit And Comfort



This Off-Road / ATV Helmet Features Two Outer Shell Sizes For Superior Fit And Comfort



This Helmet Features Two Inner EPS Sizes For Superior Fit And Comfort



This Youth Helmet Features A Smaller Size EPS Designed For Superior Fit And Comfort For Smaller Head Sizes



This Dual / Adventure Helmet Features A Drop Down Inner Sun Shield



This Full Face Helmet Features A Drop Down Inner Sun Shield



This Open Face / JET Helmet Features A Drop Down Inner Sun Shield



This Open Face Helmet Features A Drop Down Inner Sun Shield



This Helmet Features an Optical Clarity Level One Pull Down Inner and Outer Face Shield



This Helmet Features an Optical Clarity Level One PullDown Inner Face Shield



This Helmet Features an Optical Clarity Level One Inner and Outer Face Shield. The Outer Face Shield Also Incorporates an Integrated Air Dam for More Efficient Airflow With Enhanced Quietness and LessWind Turbulence



This Helmet Features Specific Cheek Pad and or Comfort Liner Relief That Makes It More Compatible to Riders That Wear Glasses



This Helmet Features Specific
Design Details That Allow for Easy
Installation of Most Communication
Systems With out any Modification
to the HelmetsProtection Liner or
Ear Cavity Area.



This Helmet Features The Abilty
To Custom Size The Final Fit With
Removable Interchangeable Cheek
Pads And Comfort Liners



This Helmet Features Specific Design Details in the Cheek Pad and Comfort Liner for Unparalleled Secure and Comfortable Fit for a Diversity of Head Shapes and Sizes.



AFX 1=3 Youth Liner / Cheek Pad Custom Fit System



This Helmet Features A Hand Washable Cheek Pad And Comfort Liner



AFX X-Flow High Volume Air Flow Ventilation System



There Are Replaceable And Optional Parts Available For This Helmet



Face Shield Is A Dual Lens Thermal Pane Design, For Use In Cold Weather Conditions



Face Shield Is A Electrically Heated Dual Lens Thermal Pane Design, For Use In Extreeme Cold And Freezing Weather Conditions

AFX HELMET FIT AND SIZE GUIDE

HOW TO FIND THE RIGHT FITTING HELMET FOR YOUR HEAD SHAPE

To properly choose a helmet fit, there are three important points of criteria that need to be examined in order for you to choose the helmet that fits you best.

1. Head Shape

The shape of the riders head is more important then the measured size of the riders head. Head shape can be determined by many factors including genetics and ethnic origin. However its important to note that there is no universal perfect head shape that is used for all models of helmets. Some helmets are designed for a functionality that dictates the final shape and fit of the helmet in question.

AFX helmets can be grouped into these three main fit categories: slightly narrow fit, neutral fit, and slightly round fit.

- Slightly Narrow Fit, helmets in this head shape may feel a little tighter on the left and right sides of the riders head.
- Neutral Fit, helmets in this head shape tend to fit a majority of riders.
- Slightly Round Fit, helmets in this head shape may feel a little tighter on the front and back sides of the head for some riders.

Please refer to the AFX helmet fit shape explanation

2. Size Measurement

Determine the circumference of the widest part of your head by using a flexible tape measure. Generally, the widest part of a person's head is the area 2.5 cm (1") above the eyes and ears. However, we suggest measuring at a few points both above and below that line to determine the greatest measurement before referring to our size table. We also suggest testing the fit of a helmet one size smaller and one size larger then what the chart recommends. No helmet can provide protection if it's too uncomfortable to wear.

Please refer to the AFX helmet sizing chart

3. Comfort and Fit

Helmets must fit snugly, but not painfully tight. While holding the chinstraps outside of the helmet, pull it down over your head, taking care that the chinstraps do not go up inside the helmet. A proper-fitting helmet will feel snug with fairly even pressure around the sides and top of your head. On most modern helmets the liner and cheek pads are designed to be a little extra snug at first, but will break-in after several hours of riding to match the particular shape of your head. If you are not familiar with how a helmet should fit and feel, be sure to ask for assistance from a more experienced rider. As a rule, the helmet should not be able to move around on your head without pulling on your skin. A loose fitting helmet is not only dangerous, but may also be noisy and tiring to wear. Most people make the mistake of buying a helmet that's too large. IMPORTANT: Make sure that you fasten the chinstrap securely beneath your chin when trying-on a helmet and then test to see that the helmet cannot be removed from your head when fastened in that manner.

Note: Most AFX helmets offer some degree of comfort and fit customization by being able to interchange combinations of comfort liners and cheek pads within the helmet shell size range. For a more detailed explanation of this feature please refer to the owners manual included with your helmet or visit afxhelmets.com.


AFX HELMET HEAD FIT SHAPE



SLIGHTLY NARROW FIT

HELMETS IN THIS HEAD SHAPE MAY FEEL A LITTLE TIGHTER ON THE LEFT AND RIGHT SIDES OF THE HEAD FOR SOME PEOPLE SLIGHTLY NARROW FIT AFX HELMETS

FX-105




NEUTRAL FIT

HELMETS IN THIS HEAD SHAPE WILL FIT A MAJORITY OF PEOPLE

NEUTRAL FIT AFX HELMETS

FX-17, FX-21, FX-39DS, FX-41DS, FX-76, FX-90E, FX-99, FX-78, FX-111, FX-79.



SLIGHTLY ROUND FIT

HELMETS IN THIS HEAD SHAPE MAY FEEL A LITTLE TIGHTER ON THE FRONT AND BACK SIDES OF THE HEAD FOR SOME PEOPLE SLIGHTLY ROUND FIT AFX HELMETS

FX-33, FX-33Y, FX-46, FX-50

AFX HELMET SIZING FIT CHART

NOTE: THIS CHART IS FOR REFERENCE ONLY

Determine the circumference of the widest part of your head by using a flexible tape measure. Generally, the widest part of a person's head is the area 2.5 cm (1") above the eyes and ears. However, we suggest measuring at a few points both above and below that line to determine the greatest measurement before referring to our size table. We also suggest testing the fit of a helmet one size smaller and one size larger then what the chart recommends. No helmet can provide protection if it's too uncomfortable to wear. Please note the size measurements noted on these charts are meant as an approximation for fit. Helmet style (street vs off-road) and physical head shape may determine what size actually fits independent of the measurements listed below.

Centimeters	Inches	Hat Size	Letter size	Youth AFX Size
48 - 49	19 -19 3/8	6 - 6 1/8	Youth Small	Y-S
50 - 51	19 3/4 - 20 1/8	6 1/4 - 6 3/8	Youth Medium	Y-M
52 - 53	20 1/2 - 20 7/8	6 1/2 - 6 2/3	Youth large	Y-L

Centimeters	Inches	Hat Size	Letter size	Adult AFX Size
53	20 7/8	6 2/3	Adult XS*	XS*
54	21 1/4	6 3/4	Adult XS	XS
55	21 5/8	6 7/8	Adult Small	S
56	22	7	Adult Small	S
57	22 3/8	7 1/8	Adult Medium	M
58	22 3/4	7 1/4	Adult Medium	M
59	23 1/8	7 3/8	Adult Large	L
60	23 1/2	7 1/2	Adult Large	L
61	24	7 5/8	Adult X-Large	XL
62	24 3/8	7 3/4	Adult X-Large	XL
63	24 3/4	7 7/8	Adult XX-Large	XXL
64	25 1/8	8	Adult XX-Large	XXL
65	25 5/8	8 3/8	Adult XXX-Large	XXXL
66	26	8 1/2	Adult XXX-Large	XXXL
67	26 3/8	8 5/8	Adult XXXX-Large	XXXXL
68	26 3/4	8 3/4	Adult XXXX-Large	XXXXL

Note: Due to size and fit similarities between some Youth Large and Adult X-Small Helmets in the size chart noted above, It is the Parents /Guardians responsibility to determine if a Youth Rider may safely and comfortably wear an Adult sized helmet. Under no circumstances should a Youth Rider ever wear a helmet thats too large or too heavy to wear comfortably.

SAFETY

WHEN TO REPLACE A HELMET

The expected lifespan of any helmet is 4-5 years of seasonal use, and decreases accordingly as the frequency of use increases. As you would expect, helmets used for competition such as road racing and motocross tend to have a much shorter life span. The more exposure a helmet endures to the elements, body oils, and perspiration, the faster it will wear out. In most cases the helmet liner will be the first component to wear out and, as such, functions as a good indicator that a helmet should be replaced.

We at AFX recommend that any helmet suffering a significant impact to the shell be removed from use immediately, whether there is visible physical damage or not. A helmet is designed to deform in an accident in order to absorb the energy of the impact, and should never be reused afterwards for its ability to protect the rider further could be compromised.

SAFETY REMINDER

No helmet can protect the wearer against all possible or foreseeable impacts. A helmet can only protect the portion of the head that is covered by the helmet. For maximum protection, the helmet must be well fitted with the chinstrap securely fastened. Failure to follow these instructions, the instructions printed on the helmet, and those contained in the owner's manual may result in the possibility of the helmet coming off during an accident - possibly resulting in a severe head injury or even death. While riding motorcycles, scooters, ATVs and snowmobiles is fun, it can also be a dangerous pastime. At AFX, we encourage you to enjoy riding responsibly, and to always ride within the limits of your abilities.

